

| | | | | | |
|--|--|---|--|---|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-80 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO 50370-60409CON | SERIAL NO. N-Assigned 10/729,576 |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | | | APPLICANT Ostanin, Kirill | |
| | | | | FILING DATE December 1, 2003 | GROUP 1646 |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|----|-----------------|-------|-----------------|-------|----------|----------------------------|
| RLi | A1 | 4,948,874 | 08/90 | Kronvall et al. | 350 | 350 | |
| RLi | A2 | 5,096,815 | 03/92 | Ladner et al. | 435 | 69.1 | |
| RLi | A3 | 5,283,173 | 02/94 | Fields et al. | 435 | 6 | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|-----|----|-----------------|-------|---------|-------|----------|-----------------------|
| RLi | A4 | WO 88/10308 | 12/88 | PCT | | | |
| RLi | A5 | WO 91/12273 | 08/91 | PCT | | | |
| RLi | A6 | WO 92/05244 | 04/92 | PCT | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|--------------------------------|-----|---|
| RLi | A7 | Akada, R. et al. "Genetic Relationships Between the G Protein $\beta\gamma$ Complex, Ste5p, Ste20p and Cdc42p: Investigation of Effector Roles in the Yeast Pheromone Response Pathway," <i>Genetics</i> 143:103-117 (1996) |
| | A8 | Alison, Malcolm R. et al. "Growth factors and growth factor receptors," <i>Brit. J. of Hosp. Med.</i> 49(11):774-88 (1993) |
| | A9 | Altieri, Dario C. "Proteases and protease receptors in modulation of leukocyte effector functions," <i>J. of Leukocyte Biol.</i> 58:120-27 (1995) |
| | A10 | Artemyev, Nikolai O. et al. "Sites of Interaction between Rod G-Protein α -Subunit and cGMP-phosphodiesterase γ -Subunit," <i>J. Biol. Chem.</i> 267(35):25067-72 (1992) |
| | A11 | Awramik, S. M. "New fossil finds in old rocks," <i>Nature</i> 319:446-47 (1986) |
| | A12 | Belka, C. et al. "The role of tyrosine kinases and their substrates in signal transmission of hematopoietic growth factors: a short review," <i>Leukemia</i> 9:754-61 (1995) |
| | A13 | Bender, Alan and Sprague, George F. Jr. "Pheromones and Pheromone Receptors Are the Primary Determinants of Mating Specificity in the Yeast <i>Saccharomyces cerevisiae</i> ," <i>Genetics</i> 121:463-76 (1989) |
| | A14 | Bimbaumer, Lutz "Transduction of receptor signal into modulation of effector activity by G proteins: the first 20 years or so..." <i>FASEB Journal</i> 4:3178-88 (1990) |
| | A15 | Blinder, Dmitry et al. "Constitutive Mutants in the Yeast Pheromone Response: Ordered function of the Gene Products," <i>Cell</i> 56:479-486 (1989) |
| | A16 | Brill, Julie A. et al. "A Role for Autophosphorylation Revealed by Activated Alleles of <i>FUS3</i> , the Yeast MAP Kinase Homolog," <i>Molecular Biology of the Cell</i> 5:297-312 (1994) |
| Y | A17 | Brugarolas, James et al. "Radiation-induced cell cycle arrest compromised by p21 deficiency," <i>Nature</i> 377:522-57 (1995) |
| RLi | A18 | Burack, W. Richard et al. "The Activating Dual Phosphorylation of MAPK by MEK Is Nonprocessive," <i>Biochemistry</i> 36(20):5929-5933 (1997) |
| Examiner <i>Ruixiang Li</i> | | Date Considered 2/17/2006 |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | | | |
|---|--|---|--|---|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-80 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO 50370-60409CON | SERIAL NO. Not Assigned 10/729,576 |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | | | APPLICANT Ostanin, Kirill | FILING DATE December 1. 2003 |
| | | | | GROUP 1646 | |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|----|-----------------|-------|----------------|-------|----------|----------------------------|
| RLi | B1 | 5,401,629 | 03/95 | Harpold et al. | 435 | 6 | |
| RLi | B2 | 5,436,128 | 07/95 | Harpold et al. | 435 | 6 | |
| RLi | B3 | 5,468,614 | 11/95 | Fields et al. | 435 | 6 | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|-----|----|-----------------|-------|---------|-------|----------|----------------------------|
| RLi | B4 | WO 92/08740 | 05/92 | PCT | | | |
| RLi | B5 | WO 93/10230 | 05/93 | PCT | | | |
| RLi | B6 | EP 568,925 | 11/93 | EPO | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|-----|---|
| RLi | B7 | Cavallini, Bruno et al. "A yeast activity can substitute for the HeLa Cell TATA box factor," <i>Nature</i> 334:77-80 (1988) |
| | B8 | Chambers, D. A. et al. "Neuroimmune Modulation: Signal Transduction and Catecholamines," <i>Neurochem. Int.</i> 22(2):95-110 (1993) |
| | B9 | Chan, Russell K. and Otte, Carol A. "Isolation and Genetic Analysis of <i>Saccharomyces cerevisiae</i> Mutants Supersensitive to G1 Arrest by a Factor and a Factor," <i>Molecular and Cellular Biol.</i> 2(1):11-20 (1982) |
| | B10 | Chang, Fred and Herskowitz, Ira "Identification of a Gene Necessary for Cell Cycle Arrest by a Negative Growth Factor of Yeast: FAR1 is an Inhibitor of a G1 Cyclin, CLN2," <i>Cell</i> 63:999-1011 (1990) |
| | B11 | Chien, Cheng-Ting, et al. "The two-hybrid system: A method to identify and clone genes for proteins that interact with a protein of interest," <i>Proc. Natl. Acad. Sci. USA</i> 88:9578-82 (1991) |
| | B12 | Clark, Karen L. et al. "Interactions among the Subunits of the G-protein Involved in <i>Saccharomyces cerevisiae</i> Mating," <i>Molecular and Cellular Biol.</i> 13(1):1-8 (1993) |
| | B13 | Cole, Gary M. et al. "Stoichiometry of G Protein Subunits Affects the <i>Saccharomyces cerevisiae</i> Mating Pheromone Signal Transduction Pathway," <i>Molecular and Cellular Biology</i> 10(2):510-517 (1990) |
| | B14 | Coleman, David E. et al. "Structures of Active Conformation of G _{ia1} and the Mechanism of GTP Hydrolysis," <i>Science</i> 265:1405-12 (1994) |
| | B15 | Conklin, Bruce R. et al. "Substitution of three amino acids switches receptor specificity of G _{qa} to that of G _{ia} ," <i>Nature</i> 363:274-76 (1993) |
| | B16 | Cwirla, Steven E. et al. "Peptides on phage: A vast library of peptides for identifying ligands," <i>Proc. Natl. Acad. Sci. USA</i> 87:6378-82 (1990) |
| ↓ | B17 | Devlin, James J. et al. "Random Peptide Libraries: A Source of Specific Protein Binding Molecules," <i>Science</i> 249:404-6 (1990) |
| RLi | B18 | Dietzel, Christine and Kurjan, Janet "The Yeast SCG1 Gene: A Ga-like Protein Implicated in the a- and α-Factor Response Pathway," <i>Cell</i> 50:1001-10 (1987) |

| | | | |
|------------|--|-----------------|-----------|
| Examiner | Rentliang Li | Date Considered | 2/17/2006 |
| *EXAMINER: | Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

| | | | | |
|---|--|---|---|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-00 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY DOCKET NO 50370-60409CON | SERIAL NO. <i>10/729,576</i> <u>N-t Assigned</u> |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | | APPLICANT Ostanin, Kirill | |
| | | | FILING DATE December 1. 2003 | GROUP 1646 |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|----|-----------------|-------|---------------|-------|----------|----------------------------|
| RLi | C1 | 5,580,736 | 12/96 | Brent et al. | 435 | 6 | |
| RLi | C2 | 5,691,188 | 11/97 | Pausch et al. | 435 | 225.1 | |
| | | | | | | | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|-----|----|-----------------|-------|---------|-------|----------|----------------------------|
| RLi | C3 | WO 94/23025 | 10/94 | PCT | | | |
| | C4 | WO 95/30012 | 11/95 | PCT | | | |
| ↓ | C5 | WO 97/11159 | 03/97 | PCT | | | |
| RLi | C6 | WO 98/13513 | 04/98 | PCT | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|-----|--|
| RLi | C7 | Dmochowska, Aleksandra et al. "Yeast KEX1 Gene Encodes a Putative Protease with a Carboxypeptidase B-like Function Involved in Killer Toxin and α-Factor Precursor Processing," <i>Cell</i> 50:573-84 (1987) |
| | C8 | Dolan, J. W. et al. "Overproduction of the yeast STE12 protein leads to constitutive transcriptional induction," <i>Genes & Development</i> 4(4):492-502 (1990) |
| | C9 | Dubois, Patrice M. et al. "Role of the transmembrane and cytoplasmic domains of surface IgM in endocytosis and signal transduction," <i>Eur. J. Immunol.</i> 22:851-57 (1992) |
| | C10 | Erickson, Deborah "Intercepted Messages: New biotechnology drugs target intracellular communication," <i>Scientific American</i> 267(5):122-23 (1992) |
| | C11 | Etienne, Gilles et al. "A Screening Method for Antifungal Substances Using <i>Saccharomyces cerevisiae</i> Strains Resistant to Polyene Macrolides," <i>J. of Antibiotics</i> 43(2):199-206 (1990) |
| | C12 | Fasullo, Michael T. and Davis, Ronald W. "Direction of Chromosome Rearrangements in <i>Saccharomyces cerevisiae</i> by Use of his3 Recombination Substrates," <i>Molecular and Cellular Biol.</i> 8(10):4370-80 (1988) |
| | C13 | Ferrell, James E. Jr. et al. "The Biochemical Basis of an All-or-None Cell Fate Switch in <i>Xenopus</i> Oocytes," <i>Science</i> 280:895-898 (1998) |
| | C14 | Ferrell, James E. Jr. "Tripping the switch fantastic: how a protein kinase cascade can convert graded inputs into switch-like outputs," <i>Trends In Biochem. Sci.</i> 21(12):460-6 (1996) |
| | C15 | Fields, Stanley and Song Ok-kyu "A novel genetic system to detect protein-protein interactions," <i>Nature</i> 340:245-46 (1989) |
| ↓ | C16 | Franke, Arthur E. et al. "Human C5a Anaphylatoxin: Gene Synthesis, Expression, and Recovery of Biologically Active Material from <i>Escherichia coli</i> ," <i>Methods in Enzymology</i> 162:653-68 (1988) |
| RLi | C17 | Funaro, Ana et al. "Human CD38 is associated to distinct molecules which mediate transmembrane signaling in different lineages," <i>Eur. J. Immunol.</i> 23:2407-11 (1993) |

| | | | |
|------------|--|-----------------|-----------|
| Examiner | Ruijiang L. | Date Considered | 2/17/2006 |
| *EXAMINER: | Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

| | | | | |
|--|--|---|---|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-80 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY DOCKET NO 50370-60409CON | SERIAL NO. 10729,576 Not Assigned |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | | APPLICANT Ostanin, Kirill | FILING DATE December 1, 2003 |
| | | | GROUP 1646 | |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|-----------------|------|------|-------|----------|----------------------------|
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|--|-----------------|------|---------|-------|----------|----------------------------|
| | | | | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|-----|---|
| RLJ | D1 | Gallego, Carme et al. "Myristylation of the G _{α12} polypeptide, a G protein α subunit, is required for its signaling and transformation functions," <i>Proc. Natl. Acad. Sci. USA</i> 89:9695-99 (1992) |
| | D2 | Garritsen, Anja et al. "The N-Terminal coiled-coil domain of β is essential for γ association: A Model for G-Protein βγ subunit interaction," <i>Proc. Natl. Acad. Sci. USA</i> 90:7706-10 (1993) |
| | D3 | Gerard, Norma P. and Gerard, Craig "Construction and Expression of a Novel Recombinant Anaphylatoxin, C5a-N19, a Probe for the Human C5a Receptor," <i>Biochemistry</i> 29(39):9274-81 (1990) |
| | D4 | Gordon, J. "B-cell signaling via the C-type lectins CD23 and CD72," <i>Immunology Today</i> 15(9):411-17 (1994) |
| | D5 | Graf, Rolf et al. "A Truncated Recombinant α Subunit of G ₁₃ with a Reduced Affinity for βγ Dimers and Altered Guanosine 5'-3-O-(Thio)triphosphate Binding," <i>J. of Biol. Chem.</i> 267(34):24307-14 (1992) |
| | D6 | Gros, Philippe et al. "Mammalian Multidrug Resistance Gene: Complete cDNA Sequence Indicates Strong Homology to Bacterial Transport Proteins," <i>Cell</i> 47:371-80 (1986) |
| | D7 | Gyuris, Jenő et al. "Cdi1, A Human G1 and S Phase Protein Phosphatase That Associates with Cdk2," <i>Cell</i> 75:791-803 (1993) |
| | D8 | Hagen, David C. et al. "Evidence the yeast STE3 gene encodes a receptor for the peptide pheromone a factor: Gene sequence and implications for the structure of the presumed receptor," <i>Proc. Natl. Acad. Sci. USA</i> 83:1418-22 (1986) |
| | D9 | Hall, Marcia et al. "Evidence for different modes of action of cyclin-dependent kinase inhibitors: p15 and p16 bind to kinases, p21 and p27 bind to cyclins," <i>Oncogene</i> 11:1581-88 (1995) |
| | D10 | Harbury, Pehr B. et al. "A Switch Between Two-, Three- and Four-Stranded Coiled Coils in GCN4 Leucine Zipper Mutants," <i>Science</i> 262:1401-07 (1993) |
| | D11 | Hartwell, Leland H. "Mutants of <i>Saccharomyces cerevisiae</i> Unresponsive to Cell Division Control by Polypeptide Mating Hormone," <i>J. Cell Biol.</i> 85:811-22 (1980) |
| | D12 | Hasson, M.S. et al. "Mutational Activation of the STE5 Gene Product Bypasses the Requirement for G Protein β and γ Subunits in the Yeast Pheromone Response Pathway," <i>Molecular and Cellular Biology</i> 14(2):1054-1065 (1994) |
| RLJ | D13 | He, Bin et al. "RAM2, an essential gene of yeast, and RAM1 encode the two polypeptide components of the farnesytransferase that prenylates α-actor and Ras proteins," <i>Proc. Natl. Acad. Sci. USA</i> 88:11373-77 (1991) |

| | | | |
|------------|--|-----------------|-----------|
| Examiner | Ruidiang Li | Date Considered | 2/17/2006 |
| *EXAMINER: | Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

| | | | | | |
|--|--|---|--|---|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-00 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO 50370-60409CON | SERIAL NO. <i>10729,576</i> N-t Assign.d. |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | | | APPLICANT Ostanin, Kirill | |
| | | | | FLING DATE December 1. 2003 | GROUP 1646 |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|-----------------|------|------|-------|----------|----------------------------|
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|--|-----------------|------|---------|-------|----------|----------------------------|
| | | | | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|-----|---|
| RLi | E1 | Hiltunen, J. Kalervo et al. "Peroxisomal Multifunctional β -Oxidation Protein of <i>Saccharomyces cerevisiae</i> ," <i>J. of Biol. Chem.</i> 267(10):6646-6653 (1992) |
| | E2 | Hrycyna, Christine A. et al. "The <i>Saccharomyces cerevisiae STE14</i> gene encodes a methyltransferase that mediates C-terminal methylation of a-factor and RAS Proteins," <i>The EMBO J.</i> 10(1):1699-1709 (1991) |
| | E3 | Huang, Chi-Ying F. et al. "Ultrasensitivity in the mitogen-activated protein kinase cascade," <i>Proc. Natl. Acad. Sci. USA</i> 93:10078-10083 (1996) |
| | E4 | Hughes, David A. et al. "Complementation of <i>byr1</i> in fission yeast by mammalian MAP kinase requires coexpression of Raf kinase," <i>Nature</i> 364:349-52 (1993) |
| | E5 | Imamoto, Akira et al. "Genetics of signal transduction: tales from the mouse," <i>Curr. Opin. Gen. & Dev.</i> 4:40-46 (1994) |
| | E6 | Inouye, Carla et al. "Ste5 RING-H2 Domain: Role in Ste4-Promoted Oligomerization for Yeast Pheromone Signaling," <i>Science</i> 278:103-106 (1997) |
| | E7 | Jabbar, M. Abdul et al. "Influenza Viral (A/WSN/33) hemagglutinin is expressed and glycosylated in the yeast <i>Saccharomyces cerevisiae</i> ," <i>Proc. Natl. Acad. Sci. USA</i> 82:2019-23 (1985) |
| | E8 | Jakobs, K. H. et al. "Dual regulation of adenylate cyclase. A signal transduction mechanism of membrane receptors," <i>Basic Res. Cardiol.</i> 81:1-9 (1986) |
| | E9 | Journot, Laurent et al. "Amino Acids 367-376 of the G _a subunit induce membrane association when fused to soluble amino-terminal deleted G _{i1} a subunit," <i>Proc. Natl. Acad. Sci. USA</i> 88:10054-58 (1991) |
| | E10 | Julius, David et al. "Glycosylation and Processing of Prepro- α -Factor through the Yeast Secretory Pathway," <i>Cell</i> 36:309-18 (1984) |
| | E11 | Julius, David et al. "Isolation of the Putative Structural Gene for the Lysine-Arginine-Cleaving Endopeptidase Required for Processing of Yeast Prepro- α -factor," <i>Cell</i> 37:1075-89 (1984) |
| | E12 | Julius, David et al. "Yeast α Factor is Processed from a Larger Precursor Polypeptide: The Essential Role of a Membrane-Bound Dipeptidyl Aminopeptidase," <i>Cell</i> 32:839-52 (1983) |
| ↓ | E13 | Kaiser, Chris A. et al. "Many Random Sequences Functionally Replace the Secretion Signal Sequence of Yeast Invertase," <i>Science</i> 235:312-17 (1987) |
| RLi | E14 | Kang, Yoon-Se et al. "Effects of expression of mammalian G _i and hybrid mammalian-yeast G _i proteins on the yeast pheromone response signal transduction pathway," <i>Molecular and Cellular Biology</i> 10(6):2582-90 (1990) |

| | | | |
|---|-------------|-----------------|-----------|
| Examiner | Ruixiang Li | Date Considered | 2/17/2006 |
| *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | |

| | | | | | |
|---|--|---|--|---|---|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-00 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO 50370-60409CON | SERIAL NO. 10729,576 N-t Assigned |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | | | APPLICANT Ostanin, Kirill | |
| | | | | FILING DATE December 1. 2003 | GROUP 1646 |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|-----------------|------|------|-------|----------|----------------------------|
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|--|-----------------|------|---------|-------|----------|----------------------------|
| | | | | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|-----|---|
| RLi | F1 | King, Klim et al. "Control of Yeast Mating Signal Transduction by a Mammalian β_2 -Adrenergic Receptor and G _s a Subunit," <i>Science</i> 250:121-23 (1990) |
| | F2 | Kingsman, S.M. et al. "The production of mammalian protein in <i>Saccharomyces cerevisiae</i> ," <i>Tibtech</i> 5:53-57 (1987) |
| | F3 | Koff, Andrew et al. "Human Cyclin E, a New Cyclin That Interacts with Two Members of the CDC2 Gene Family," <i>Cell</i> 66:1217-28 (1991) |
| | F4 | Kosugi, Shinji et al. "Characterization of heterogeneous mutations causing constitutive activation of the luteinizing hormone receptor in familial male precocious puberty," <i>Human Molecular Genetics</i> 4(2):183-88 (1995) |
| | F5 | Kramer, R. A. et al. "HTLV-III gag Protein Is Processed in Yeast Cells by the Virus pol-Protease," <i>Science</i> 231:1580-85 (1986) |
| | F6 | Kuchler, Karl and Thorner, Jeremy "Functional expression of human <i>mdr1</i> in the yeast <i>Saccharomyces cerevisiae</i> ," <i>Proc. Natl. Acad. Sci. USA</i> 89:2302-06 (1992) |
| | F7 | Kuchler, Karl et al. "Saccharomyces cerevisiae STE6 gene product: a novel pathway for protein export in eukaryotic cells," <i>The EMBO J.</i> 8(13):3973-84 (1989) |
| | F8 | Kurjan, Janet "α-Factor Structural Gene Mutations in <i>Saccharomyces cerevisiae</i> : Effects on α-Factor Production and Mating," <i>Molecular and Cellular Biol.</i> 5(4):787-96 (1985) |
| | F9 | Kurjan, Janet and Herskowitz "Structure of a Yeast Pheromone Gene (<i>MFα</i>): A Putative α-Factor Precursor Contains Four Random Copies of Mature α-Factor," <i>Cell</i> 30:933-43 (1982) |
| | F10 | Lambright, David G. et al. "Structural determinants for activation of the α-subunit of a heterotrimeric G protein," <i>Nature</i> 369:621-28 (1994) |
| | F11 | Leberer, Ekkehard et al. "Dominant-negative mutants of a yeast G-protein β subunit identify two functional regions involved in pheromone signaling," <i>The EMBO J.</i> 11(13):4805-13 (1992) |
| | F12 | Lee, Ethan et al. "The G22A Mutant of G _{αq} Highlights the Requirement for Dissociation of G Protein Subunits," <i>J. Biol. Chem.</i> 267(2):1212-18 (1992) |
| | F13 | Lemire, Bernard D. et al. "The Mitochondrial Targeting Function of Randomly Generated Peptide Sequences Correlates with Predicted Helical Amphiphilicity," <i>J. Biol. Chem.</i> 264(34):20206-12 (1989) |
| | F14 | Lew, Daniel J. et al. "Isolation of Three Novel Human Cyclins by Rescue of G1 Cyclin (Cln) Function in Yeast," <i>Cell</i> 66:1197-1206 (1991) |
| RLi | F15 | Linder, Maurine E. and Gilman, Alfred G. "G Proteins," <i>Scientific American</i> 267(1):56-65 (1992) |

Examiner

Rusinang L.

Dat Considered

2/17/2006

*EXAMINER:

Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | | | |
|--|--|---|--|---|---|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-80 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO 50370-60409CON | SERIAL NO. <i>10729,576</i> N-t Assigned |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | | | APPLICANT Ostanin, Kirill | FILING DATE December 1, 2003 |
| | | | | GROUP 1646 | |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|--|-----------------|------|------|-------|----------|----------------------------|
| | | | | | | | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|--|--|-----------------|------|---------|-------|----------|----------------------------|
| | | | | | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|-----|---|
| RLi | G1 | Linder, Maurine E. et al. "Lipid Modifications of G Protein Subunits: Myristylation of G_{α} Increases its Affinity for $\beta\gamma$," <i>J. Biol. Chem.</i> 266(7):4654-59 (1991) |
| | G2 | Lupas, Andrei N. et al. "Do G protein subunits associate via a three-stranded coiled coil?" <i>FEBS</i> 314(2):105-08 (1992) |
| | G3 | Mackay, Vivian and Manney, Thomas R. "Mutations Affecting Sexual Conjugation and Related Processes in <i>Saccharomyces cerevisiae</i> . II Genetic Analysis of Nonmating Mutants," <i>Genetics</i> 76:273-88 (1974) |
| | G4 | Marengere, Luc E.M. and Pawson, Tony "Structure and function of SH2 domains," <i>J. Cell Science Suppl.</i> 18:97-104 (1994) |
| | G5 | Markby, David W. et al. "Separate GTP Binding and GTPase Activating Domains of a G_{α} Subunit," <i>Science</i> 262:1895-1901 (1993) |
| | G6 | Michaelis, Susan and Herskowitz, Ira "The α -Factor Pheromone of <i>Saccharomyces cerevisiae</i> is Essential for Mating," <i>Molecular and Cellular Biol.</i> 8(3):1309-18 (1988) |
| | G7 | Milano, C.A. et al. "Enhanced Myocardial Function in Transgenic Mice Overexpressing the β_2 -Adrenergic Receptor," <i>Science</i> 264:582-86 (1994) |
| | G8 | Milburn, Michael V. et al. "Molecular Switch for Signal Transduction: Structural Differences Between Active and Inactive Forms of Protooncogenic <i>ras</i> Proteins," <i>Science</i> 247:939-45 (1990) |
| | G9 | Mumby, Susanne M. et al. "G-Protein α -subunit expression, myristylation, and membrane association in COS cells," <i>Proc. Natl. Acad. Sci. USA</i> 87:728-32 (1990) |
| | G10 | Murphy, A.J.M. et al. "Autocrine Stimulation of Yeast through Human G-Coupled Receptors," <i>J. Cell Biochem.</i> 18B:224 (1994) |
| | G11 | Nakafuku, Masato et al. "Occurrence in <i>Saccharomyces cerevisiae</i> of a gene homologous to the cDNA coding for the α -subunit of mammalian G proteins," <i>Proc. Natl. Acad. Sci. USA</i> 84:2140-44 (1987) |
| | G12 | Nakayama, N. et al. "Common signal transduction system shared by <i>STE2</i> and <i>STE3</i> in haploid cells of <i>Saccharomyces cerevisiae</i> : autocrine cell-cycle arrest results from forced expression of <i>STE2</i> ," <i>The EMBO J.</i> 6(1):249-54 (1987) |
| | G13 | Neer, Eva J. et al. "The Amino Terminus of a G Protein α Subunits Is Required for Interaction with $\beta\gamma$," <i>J. Biol. Chem.</i> 263(18):8996-9000 (1988) |
| | G14 | Noel, Joseph P. et al. "The 2.2 Å crystal structure of transducin- α complexed with GTP- γ -S," <i>Nature</i> 366:654-63 (1993) |

| | | |
|------------|--|-----------------|
| Examiner | Ruiping L. | Date Considered |
| *EXAMINER: | Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | | | | |
|---|--|---|--|---|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-80 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | | ATTY DOCKET NO 50370-60409CON | SERIAL NO. <i>10/729,576</i> Not Assigned |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | | | APPLICANT Ostanin, Kirill | |
| | | | | FILING DATE December 1. 2003 | GROUP 1646 |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|-----------------|------|------|-------|----------|----------------------------|
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|--|-----------------|------|---------|-------|----------|----------------------------|
| | | | | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|-----|---|
| RLi | H1 | Noelle, Randolph J. et al. "CD40 and its ligand, an essential ligand-receptor pair for thymus-dependent B-cell activation," <i>Immunol. Today</i> 13(11):431-33 (1992) |
| | H2 | Nomoto, Satoshi et al. "Regulation of the yeast pheromone response pathway by G protein subunits," <i>The EMBO J.</i> 9(3):691-696 (1990) |
| | H3 | Nye, Jeffrey S. and Kopan, Raphael "Vertebrate ligands for Notch," <i>Current Biology</i> 5(9):966-69 (1995) |
| | H4 | Oeda, Kenji et al. "Expression of Rat Liver Cytochrome P-450MC cDNA in <i>Saccharomyces cerevisiae</i> ," <i>DNA</i> 4(3):203-10 (1985) |
| | H5 | Ogden, Jill E. et al. "Efficient Expression of the <i>Saccharomyces cerevisiae</i> PGK Gene Depends on an Upstream Activation Sequence but Does Not Require TATA Sequences," <i>Molecular and Cellular Biol.</i> 6(12):4335-43 (1986) |
| | H6 | Pronin, Alexey N. and Gautam, Narasimhan "Interaction between G-Protein β and γ subunit types is selective," <i>Proc. Natl. Acad. Sci. USA</i> 89:6220-24 (1992) |
| | H7 | Ramer, Sandra W. and Davis, Ronald W. "A dominant truncation allele identifies a gene, STE20, that encodes a putative protein kinase necessary for mating in <i>Saccharomyces cerevisiae</i> ," <i>Proc. Natl. Acad. Sci. USA</i> 90:452-456 (1993) |
| | H8 | Ranade, Koustubh et al. "Mutations associated with familial melanoma impair p16 ^{INK4} function," <i>Nature Genetics</i> 10:114-16 (1995) |
| | H9 | Ranick, Helen M. et al. "A Site on Rod G Protein α Subunit That Mediates Effector Activation," <i>Science</i> 256:1031-33 (1992) |
| | H10 | Raymond, Martine et al. "Functional Complementation of Yeast ste6 by a Mammalian Multidrug Resistance mdr Gene," <i>Science</i> 256:232-34 (1992) |
| | H11 | Reed, Randall R. "G Protein Diversity and the Regulation of Signaling Pathways," <i>The New Biologist</i> 2(11):957-60 (1990) |
| | H12 | Schafer, William R. et al. "Enzymatic Coupling of Cholesterol Intermediates to a Mating Pheromone Precursor and to the Ras Protein," <i>Science</i> 249:1133-39 (1990) |
| | H13 | Schafer, William R. et al. "Genetic and Pharmacological Suppression of Oncogenic Mutations in RAS Genes of Yeast and Humans," <i>Science</i> 245:379-85 (1989) |
| ↓ | H14 | Schäfer, E. and Iggo, R. "Mammalian p53 can function as a transcription factor in yeast," <i>Nucleic Acids Research</i> 20(7):1539-45 (1992) |
| RLi | H15 | Scott, Jamie K. and Smith, George P. "Searching for Peptide Ligands with an Epitope Library," <i>Science</i> 249:386-90 (1990) |

| | | | |
|------------|--|-----------------|------------------|
| Examiner | <i>Rudhang L.</i> | Date Considered | <i>2/17/2006</i> |
| *EXAMINER: | Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

| | | | | |
|---|--|---|---|---|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-80 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY DOCKET NO 50370-60409CON | SERIAL NO. 10729,576 N-t Assigned |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | APPLICANT | | |
| | | Ostanin, Kirill | FILING DATE December 1. 2003 | GROUP 1646 |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|--|-----------------|------|------|-------|----------|----------------------------|
| | | | | | | | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|--|--|-----------------|------|---------|-------|----------|--------------------|
| | | | | | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|-----|--|
| RLi | 11 | Sikorski, Robert S. and Hieter, Philip "A System of Shuttle Vectors and Yeast Host Strains Designed for Efficient Manipulation of DNA in <i>Saccharomyces cerevisiae</i> ," <i>Genetics</i> 122:19-27 (1989) |
| | 12 | Singh, Arjun et al. " <i>Saccharomyces cerevisiae</i> contains two discrete genes coding for the α-factor pheromone," <i>Nucleic Acids Research</i> 11(12):4049-63 (1983) |
| | 13 | Slepak, Vladlen Z. et al. "Mutational Analysis of G Protein α Subunit G _{0α} Expressed in <i>Escherichia coli</i> ," <i>J. Biol. Chem.</i> 268(2):1414-23 (1993) |
| | 14 | Spiegel, Allen M. et al. "The G Protein connection: molecular basis of membrane association," <i>TIBS</i> 16:338-41 (1991) |
| | 15 | Steube, Klaus et al. "α-Factor-leader-directed secretion of recombinant human-insulin-like growth factor I from <i>Saccharomyces cerevisiae</i> ," <i>Eur. J. Biochem.</i> 198:651-57 (1991) |
| | 16 | Stevenson, Brian J. et al. "Constitutive mutants of the Protein Kinase STE11 Activate the Yeast Pheromone Response Pathway in the Absence of the G Protein," <i>Genes & Development</i> 6:1293-1304 (1992) |
| | 17 | Strubin, Michel and Struhl, Kevin "Yeast and Human TFIID with Altered DNA-Binding Specificity of TATA Elements," <i>Cell</i> 68:721-30 (1992) |
| | 18 | Struhl, Kevin "Constitutive and Inducible <i>Saccharomyces cerevisiae</i> Promoters: Evidence for Two Distinct Molecular Mechanisms," <i>Molecular and Cellular Biol.</i> 6(11):3847-53 (1986) |
| | 19 | Struhl, Kevin et al. "High-frequency transformation of yeast: Autonomous replication of hybrid DNA molecules," <i>Proc. Natl. Acad. Sci. USA</i> 76(3):1035-39 (1979) |
| | 110 | Struhl, Kevin and Hill, David E. "Two Related Regulatory Sequences are Required for Maximal Induction of <i>Saccharomyces cerevisiae his3</i> Transcription," <i>Molecular and Cellular Biol.</i> 7(1):104-10 (1987) |
| | 111 | Sullivan, Kathleen A. et al., "Identification of receptor contact site involved in receptor-G protein coupling," <i>Nature</i> 330:758-60 (1987) |
| | 112 | Suzuki, Takeshi et al. "HTLV-1 Tax protein interacts with cyclin-dependent kinase inhibitor p16 ^{INK4A} and counteracts its inhibitory activity towards CDK4," <i>The EMBO J.</i> 15(7):1607-14 (1996) |
| ↓ | 113 | Teem, John L. et al. "Identification of Revertants for the Cystic Fibrosis ΔF508 Mutation Using STE6-CFTR Chimeras in Yeast," <i>Cell</i> 73:335-346 (1993) |
| RLi | 114 | Thomas, Thomas C. et al. "G-protein α ₀ subunit: Mutation of conserved cysteines identifies a subunit contact surface and alters GDP affinity," <i>Proc. Natl. Acad. Sci. USA</i> 90:10295-99 (1993) |

Examiner

Ruijiang L.

Date Considered

2/17/2006

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | | |
|---|--|---|---|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-00 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY DOCKET NO 50370-60409CON | SERIAL NO. <i>10729,576</i> N-t Assign d- |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | | APPLICANT Ostanin, Kirill | FILING DATE December 1. 2003 |
| | | | GROUP 1646 | |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|------------------|--|-----------------|------|------|-------|----------|----------------------------|
| | | | | | | | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |
|--|--|-----------------|------|---------|-------|----------|----------------------------|
| | | | | | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|-----|---|
| RLi | J1 | Tyson, John J. et al. "Chemical kinetic theory: understanding cell-cycle regulation," <i>Trends in Biochem. Sci.</i> 21:89-96 (1996) |
| | J2 | Walker, John E. et al. "Distantly related sequences in the α -and β -subunits of ATP synthase, myosin, kinases and other ATP-requiring enzymes and a common nucleotide binding fold," <i>The EMBO J.</i> 1(8):945-51 (1982) |
| | J3 | Waters, M. Gerard et al. "Prepro- α -factor Has a Cleavable Signal Sequence," <i>J. Biol. Chem.</i> 263(13):6209-14 (1988) |
| | J4 | Whiteway, Malcolm S. et al. "Association of the Yeast Pheromone Response G Protein $\beta\gamma$ Subunits with the MAP Kinase Scaffold Ste5p," <i>Science</i> 269:1572-1575 (1995) |
| | J5 | Whiteway, Malcolm et al. "Dominant negative selection of heterologous genes: Isolation of <i>Candida albicans</i> genes that interfere with <i>Saccharomyces cerevisiae</i> mating factor-induced cell cycle arrest," <i>Proc. Natl. Acad. Sci. USA</i> 89:9410-14 (1992) |
| | J6 | Whiteway, Malcolm et al. "Genetic Identification of Residues Involved in Association of α and β G-Protein Subunits," <i>Molecular and Cellular Biol.</i> 14(5):3223-3229 (1994) |
| | J7 | Whiteway, Malcolm et al. "The STE4 and STE18 Genes of Yeast Encode Potential β and γ Subunits of the Mating Factor Receptor-Coupled G Protein," <i>Cell</i> 56:467-477 (1989) |
| | J8 | Wolowiec, D. et al. "Expression of cell cycle regulatory proteins in chronic lymphocytic leukemias. Comparison with non-Hodgkin's lymphomas and non-neoplastic lymphoid tissue," <i>Leukemia</i> 9:1382-88 (1995) |
| | J9 | Xiong, Yue et al. "Alteration of Cell Cycle Kinase Complexes in Human Papillomavirus E6- and E7- Expressing Fibroblasts Precedes Neoplastic Transformation," <i>J. Virology</i> 70(2):999-1008 (1996) |
| | J10 | Xiong, Yue et al. "Human D-Type Cyclin," <i>Cell</i> 65:691-99 (1991) |
| | J11 | Zervos, Antonis S. et al. "Mxi1, a Protein that Specifically Interacts with Max to Bind Myc-Max Recognition Sites," <i>Cell</i> 72:223-32 (1993) |
| | J12 | Zhan, Xiao-Li et al. "Differential regulation of FUS3 MAP kinase by tyrosine-specific phosphatases PTP2/PTP3 and dual-specificity phosphatase MSG5 in <i>Saccharomyces cerevisiae</i> ," <i>Genes & Development</i> 11:1690-1702 (1997) |

| | | | |
|------------|--|-----------------|----------------|
| Examiner | <i>Ruihang L.</i> | Date Considered | <i>2/17/06</i> |
| *EXAMINER: | Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

| | | | | |
|---|--|---|---|--|
| APPLICANT FACSIMILE OF FORM PTO-1449 REV 7-80 | | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY DOCKET NO 50370-60409CON | SERIAL NO. <i>10-729,576</i> Not Assigned |
| LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) | | APPLICANT Ostanin, Kirill | FILING DATE December 1. 2003 | GROUP 1646 |

U.S. PATENT DOCUMENTS

| EXAMINER INITIALS | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|----------------------|----|-----------------|-------|----------------|-------|----------|-------------------------------|
| RL | K1 | 5,482,835 | 01/96 | King et al. | 435 | 6 | |
| | K2 | 5,739,029 | 04/98 | King et al. | 435 | 254.21 | |
| ↓ | K3 | 5,789,184 | 08/98 | Fowlkes et al. | 435 | 7.31 | |
| RL | K4 | 6,100,042 | 08/00 | Fowlkes et al. | 435 | 7.1 | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION |
|----|----|-----------------|-------|---------|-------|----------|-------------|
| | | | | | | | YES NO |
| RL | KS | WO 99/18211 | 04/99 | PCT | | | |

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)